Complete if Known Substitute for form 1449/PTO 10/540,084-Conf. #7531 Application Number **INFORMATION DISCLOSURE** April 7, 2006 Filing Date STATEMENT BY APPLICANT First Named Inventor Mary Collins Art Unit 1644 (Use as many sheets as necessary) I. I. Ouspenski Examiner Name M0274.70042US02 Sheet 1 of 3 Attorney Docket Number

	U.S. PATENT DOCUMENTS				
Examiner Initials*	Cite No.1	Document Number  Number-Kind Code <sup>2</sup> ( <i>if known</i> )	Publication Date MM-DD-YYYY	Name of Fatoritoe of	Pages, Columns, Lines, Where Relevant Passages or Relevant Figures Appear
		US 2005/0180969	08/18/2005	Hardy et al.	

FOREIGN PATENT DOCUMENTS						
Examiner Initials*	Cite No. <sup>1</sup>	Foreign Patent Document  Country Code <sup>3</sup> -Number <sup>4</sup> -Kind Code <sup>5</sup> ( <i>if known</i> )	Publication Date MM-DD-YYYY	Name of Patentee or Applicant of Cited Document	Pages, Columns, Lines, Where Relevant Passages Or Relevant Figures Appear	
		WO 04/0568754 A1	07/08/2004	Wyeth, et al.		

		NON PATENT LITERATURE DOCUMENTS	
Examiner Initials	Cite No.1	Include name of the author (in CAPITAL LETTERS), title of the article (when appropriate), title of the item (book, magazine, journal, serial, symposium, catalog, etc.), date, page(s), volume-issue number(s), publisher, city and/or country where published.	<b>T</b> <sup>2</sup>
		ANASPEC Online Catalog (Catalog No. 54662), "Anti-PDCD1 (CT)." www.anaspec.com/pdfs/54662.pdf	
		ANSARI et al., 2003, "The Programmed Death-1 (PD-1) Pathway Regulates Autoimmune Diabetes in Nonobese Diabetic (NOD) Mice," J. Exp. Med. 198: 63-69.	
		BENNETT et al., 2003, "Program Death-1 Engagement Upon TCR Activation Has Distinct Effects on Costimulation and Cytokine-Driven Proliferation: Attenuation of ICOS, IL-4, and IL-21, But Not CD28, IL-7, and IL015 Responses," J. Immunol. 170: 711-718.	
		BLAZER et al., 2002, "PD-1 Engagement Provides and Inhibitory Signal Which Downregulates T Cell Alloresponses In Vivo," Blood 100: 72a, Abstract No. 261.	
		CARRENO et al., 2002, "The B7 Family of Ligands and Its Receptors: New Pathways for Costimulation and Inhibition of Immune Response," Annu. Rev. Immunol. 20: 29-53.	
		CURETECH Press Release, 2007, "CureTech announces receipt of a Notice of Allowance from the US Patent and Trademark Office"	
		CURETECH, http://www.curetechbio.com/?TemplateID=29&PageID=145&TemplateType=14	
		DAVIES et al., 1996, "Affinity Improvement of Single Antibody VH Domains; Residues in All Three Hypervariable Regions Affect Antigen Binding," Immunotechnology 2: 169-179.	
		DE KRUIF et al., 1995, "Selection and Application of Human Single Chain Fv Antibody Fragments from a Semi-synthetic Phage Antibody Display Library with Designed CDR3 Regions," J. Mol. Biol. 248, pp. 97-105.	
		DESMYTER A. et al., 2001, "Antigen Specificity and High Affinity Binding Provided by One Single Loop of a Camel Single-Domain Antibody", The Journal of Biological Chemistry, Vol.	

EXAMINER:	DATE CONSIDERED:

<sup>#</sup> EXAMINER: Initial if reference considered, whether or not citation is in conformance with MPEP 609; Draw line through citation if not in conformance and not considered. Include copy of this form with next communication to Applicant.

<sup>\*</sup>a copy of this reference is not provided as it was previously cited by or submitted to the office in a prior application, Serial No. \_\_\_\_, filed \_\_\_\_, and relied upon for an earlier filing date under 35 U.S.C. 120 (continuation, continuation-in-part, and divisional applications). -

Complete if Known Substitute for form 1449/PTO 10/540,084-Conf. #7531 Application Number **INFORMATION DISCLOSURE** Filing Date April 7, 2006 STATEMENT BY APPLICANT First Named Inventor Mary Collins Art Unit 1644 (Use as many sheets as necessary) I. I. Ouspenski Examiner Name 2 M0274.70042US02 Sheet of 3 Attorney Docket Number

HOLLING, T. et al., 2004, "Function and Regulation of MHC Class II Molecules in T-Lymphocytes: Of Mice and Men," Human Immunology 55: 282-290.  ISHIDA Y. et al., 1992, "Induced expression of PD-1, a novel member of the immunoglobulin gene superfamily, upon programmed cell death," EMBO Journal, 11:11, pp. 3887-3895  JIRHOLT. P. et al., 1998, "Exploiting sequence space: shuffling in vivo formed complementarity determining regions into a master framework," Gene, 215, pp 471-476.  LADNER et al., 2007, "Antibodies cut down to size," Nat Biotechnol, Aug;25(8):875-7.  LEVI et al., 1993, "A Complementarity-Determining Region Synthetic Peptide Acts as a Miniantibody and Neutralizes Human Immunodeficiency Virus Type 1 In Vitro," Proc. Natl. Acad. Sci., 90: 4374-4378.  MARKS, J. D. et al., 1992, "By-Passing Immunization: Building High Affinity Human Antibodies by Chain Shuffling," Bio/Technology, Vol. 10, pp. 779783.  MAYNARD J. and GEORGIOU G., 2000, "Antibody Engineering," Annu. Rev. Biomed. Eng, 02 pp. 339-76.  NISHIMURA, H. et al., 1999, "Development of Lupus-like Autoimmune Diseases by Disruption of the PD-1 Gene Encoding an ITIM Motif-Carrying Immunoreceptor," Immunity. Vol. 11, pp. 141-151.  QIU et al., 2007, "Small antibody mimetics comprising two complementarity-determining regions and a framework region for tumor targeting," Nat Biotechnol. 2007 Aug;25(8):921-9. Epub.  REITER, Y et al., 1999, "An Antibody Single-domain Phage Display Library of a Native Heavy Chain Variable Region: Isolation of Functional Single-domain VH Molecules with a Unique Interface," J. Mol. Biol. 290, pp. 685-698.  SÖDERLIND, E. et al., 2000, "Recombining germline-derived CDR sequences for creating diverse single-framework antibody libraries," Nature Biotechnology, Vol 18, pp. 852-856.  SÖDERLIND, E. et al., 1999, "Complementarity-determining region (CDR) implantation: a theme of recombination," Immunotechnology, 4, pp. 279-285.  WARD et al., 1989, "Biotecherologic Orden Programs of a Repertoir of Single Immunoglobulin Variable Domains Se	I	
Lymphocytes: Of Mice and Men," Human Immunology 65: 282-290.  ISHIDA Y. et al., 1992, "Induced expression of PD-1, a novel member of the immunoglobulin gene superfamily, upon programmed cell death," EMBO Journal, 11:11, pp. 3887-3895  JIRHOLT. P. et al., 1998, "Exploiting sequence space: shuffling in vivo formed complementarity determining regions into a master framework," Gene, 215, pp 471-476.  LADNER et al., 2007, "Antibodies cut down to size," Nat Biotechnol, Aug;25(8):875-7.  LEVI et al., 1993, "A Complementarity-Determining Region Synthetic Peptide Acts as a Miniantibody and Neutralizes Human Immunodeficiency Virus Type 1 In Vitro," Proc. Natl. Acad. Sci., 90: 4374-4378.  MARKS, J. D. et al., 1992, "By-Passing Immunization: Building High Affinity Human Antibodies by Chain Shuffling," Bio/Technology, Vol. 10, pp. 779783.  MAYNARD J. and GEORGIOU G., 2000, "Antibody Engineering," Annu. Rev. Biomed. Eng, 02 pp. 339-76.  NISHIMURA, H. et al., 1999, "Development of Lupus-like Autoimmune Diseases by Disruption of the PD-1 Gene Encoding an ITIM Motif-Carrying Immunoreceptor," Immunity. Vol. 11, pp. 141-151.  QIU et al., 2007, "Small antibody mimetics comprising two complementarity-determining regions and a framework region for tumor targeting," Nat Biotechnol., 2007 Aug;25(8):921-9. Epub.  REITER, Y et al., 1999, "An Antibody Single-domain Phage Display Library of a Native Heavy Chain Variable Region: Isolation of Functional Single-domain VH Molecules with a Unique Interface," J. Mol. Biol. 290, pp. 685-698.  SÖDERLIND, E. et al., 2000, "Recombining germline-derived CDR sequences for creating diverse single-framework antibody libraries," Nature Biotechnology, Vol 18, pp. 852-856.  SÖDERLIND, E. et al., 1999, "Complementarity-determining region (CDR) implantation: a theme of recombination," Immunotechnology, 4, pp. 279-285.  WARD et al., 1989, "Binding Activities of a Repertoir of Single Immunoglobulin Variable Domains Secreted from Escherichia Coli," Nature 341: 544-546  WELLING, et al., 1999, "A Ten-Residue Fra	276, No. 28, pp. 26285-26290.	
ISHIDA Y. et al., 1992, "Induced expression of PD-1, a novel member of the immunoglobulin gene superfamily, upon programmed cell death," EMBO Journal, 11:11, pp. 3887-3895  JIRHOLT. P. et al., 1998, "Exploiting sequence space: shuffling in vivo formed complementarity determining regions into a master framework," Gene, 215, pp 471-476.  LADNER et al., 2007, "Antibodies cut down to size," Nat Biotechnol, Aug;25(8):875-7.  LEVI et al., 1993, "A Complementarity-Determining Region Synthetic Peptide Acts as a Miniantibody and Neutralizes Human Immunodeficiency Virus Type 1 In Vitro," Proc. Natl. Acad. Sci., 90: 4374-4378.  MARKS, J. D. et al., 1992, "By-Passing Immunization: Building High Affinity Human Antibodies by Chain Shuffling," Bio/Technology, Vol. 10, pp. 779783.  MAYNARD J. and GEORGIOU G., 2000, "Antibody Engineering," Annu. Rev. Biomed. Eng, 02 pp. 339-76.  NISHIMURA, H. et al., 1999, "Development of Lupus-like Autoimmune Diseases by Disruption of the PD-1 Gene Encoding an ITIM Motif-Carrying Immunoreceptor," Immunity. Vol. 11, pp. 141-151.  QIU et al., 2007, "Small antibody mimetics comprising two complementarity-determining regions and a framework region for tumor targeting," Nat Biotechnol. 2007 Aug;25(8):921-9. Epub.  REITER, Y et al., 1999, "An Antibody Single-domain Phage Display Library of a Native Heavy Chain Variable Region: Isolation of Functional Single-domain VH Molecules with a Unique Interface," J. Mol. Biol. 290, pp. 685-698.  SÖDERLIND, E. et al., 1999, "Complementarity-determining region (CDR) implantation: a theme of recombination," Immunotechnology, 4, pp. 279-285.  WARD et al., 1989, "Binding Activities of a Repertoir of Single Immunoglobulin Variable Domains Secreted from Escherichia Coli," Nature 341: 544-546  WELLING, et al., 1991, "A Ten-Residue Fragement of an Antibody (Mini-Antibody) Directed Against Lysozyme as Ligand in Immunoaffinity Chromatography," J. Chromatography, 548: 235-242.  WILLIAMS et al., 1989, "Development of Biologically Active Peptides Based on Antibody		
gene superfamily, upon programmed cell death," EMBO Journal, 11:11, pp. 3887-3895  JIRHOLT. P. et al., 1998, "Exploiting sequence space: shuffling in vivo formed complementarity determining regions into a master framework," Gene, 215, pp 471-476.  LADNER et al., 2007, "Antibodies cut down to size," Nat Biotechnol, Aug;25(8):875-7.  LEVI et al., 1993, "A Complementarity-Determining Region Synthetic Peptide Acts as a Miniantibody and Neutralizes Human Immunodeficiency Virus Type 1 In Vitro," Proc. Natl. Acad. Sci., 90: 4374-4378.  MARKS, J. D. et al., 1992, "By-Passing Immunization: Building High Affinity Human Antibodies by Chain Shuffling," Bio/Technology, Vol. 10, pp. 779783.  MAYNARD J. and GEORGIOU G., 2000, "Antibody Engineering," Annu. Rev. Biomed. Eng, 02 pp. 339-76.  NISHIMURA, H. et al., 1999, "Development of Lupus-like Autoimmune Diseases by Disruption of the PD-1 Gene Encoding an ITIM Motif-Carrying Immunoreceptor," Immunity. Vol. 11, pp. 141-151.  QIU et al., 2007, "Small antibody mimetics comprising two complementarity-determining regions and a framework region for tumor targeting," Nat Biotechnol. 2007 Aug;25(8):921-9. Epub.  REITER, Y et al., 1999, "An Antibody Single-domain Phage Display Library of a Native Heavy Chain Variable Region: Isolation of Functional Single-domain VH Molecules with a Unique Interface," J. Mol. Biol. 290, pp. 685-698.  SÖDERLIND, E. et al., 2000, "Recombining germline-derived CDR sequences for creating diverse single-framework antibody libraries," Nature Biotechnology, Vol 18, pp. 852-856.  SÖDERLIND, E. et al., 1999, "Complementarity-determining region (CDR) implantation: a theme of recombination," Immunotechnology, 4, pp. 279-285.  WARD et al., 1989, "Binding Activities of a Repertoir of Single Immunoglobulin Variable Domains Secreted from Escherichia Coli," Nature 341: 544-546  WELLING, et al., 1991, "A Ten-Residue Fragement of an Antibody (Mini-Antibody) Directed Against Lysozyme as Ligand in Immunoaffinity Chromatography," J. Chromatography, 548: 235-242.  WILLIAMS e		
JIRHOLT. P. et al., 1998, "Exploiting sequence space: shuffling in vivo formed complementarity determining regions into a master framework," Gene, 215, pp 471-476.  LADNER et al., 2007, "Antibodies cut down to size," Nat Biotechnol, Aug;25(8):875-7.  LEVI et al., 1993, "A Complementarity-Determining Region Synthetic Peptide Acts as a Miniantibody and Neutralizes Human Immunodeficiency Virus Type 1 In Vitro," Proc. Natl. Acad. Sci., 90: 4374-4378.  MARKS, J. D. et al., 1992, "By-Passing Immunization: Building High Affinity Human Antibodies by Chain Shuffling," Bio/Technology, Vol. 10, pp. 779783.  MAYNARD J. and GEORGIOU G., 2000, "Antibody Engineering," Annu. Rev. Biomed. Eng, 02 pp. 339-76.  NISHIMURA, H. et al., 1999, "Development of Lupus-like Autoimmune Diseases by Disruption of the PD-1 Gene Encoding an ITIM Motif-Carrying Immunoreceptor," Immunity. Vol. 11, pp. 141-151.  QIU et al., 2007, "Small antibody mimetics comprising two complementarity-determining regions and a framework region for tumor targeting," Nat Biotechnol. 2007 Aug;25(8):921-9. Epub.  REITER, Y et al., 1999, "An Antibody Single-domain Phage Display Library of a Native Heavy Chain Variable Region: Isolation of Functional Single-domain VH Molecules with a Unique Interface," J. Mol. Biol. 290, pp. 685-698.  SÖDERLIND, E. et al., 2000, "Recombining germline-derived CDR sequences for creating diverse single-framework antibody libraries," Nature Biotechnology, Vol 18, pp. 852-856.  SÖDERLIND, E. et al., 1999, "Complementarity-determining region (CDR) implantation: a theme of recombination," Immunotechnology, 4, pp. 279-285.  WARD et al., 1989, "Binding Activities of a Repertoir of Single Immunoglobulin Variable Domains Secreted from Escherichia Coli," Nature 341: 544-546  WELLING, et al., 1991, "A Ten-Residue Fragement of an Antibody (Mini-Antibody) Directed Against Lysozyme as Ligand in Immunoaffinity Chromatography," J. Chromatography, 548: 235-242.  WILLIAMS et al., 1989, "Development of Biologically Active Peptides Based on Antibody		
LADNER et al., 2007, "Antibodies cut down to size," Nat Biotechnol, Aug;25(8):875-7.  LEVI et al., 1993, "A Complementarity-Determining Region Synthetic Peptide Acts as a Miniantibody and Neutralizes Human Immunodeficiency Virus Type 1 In Vitro," Proc. Natl. Acad. Sci., 90: 4374-4378.  MARKS, J. D. et al., 1992, "By-Passing Immunization: Building High Affinity Human Antibodies by Chain Shuffling," Bio/Technology, Vol. 10, pp. 779783.  MAYNARD J. and GEORGIOU G., 2000, "Antibody Engineering," Annu. Rev. Biomed. Eng, 02 pp. 339-76.  NISHIMURA, H. et al., 1999, "Development of Lupus-like Autoimmune Diseases by Disruption of the PD-1 Gene Encoding an ITIM Motif-Carrying Immunoreceptor," Immunity. Vol. 11, pp. 141-151.  QIU et al., 2007, "Small antibody mimetics comprising two complementarity-determining regions and a framework region for tumor targeting," Nat Biotechnol. 2007 Aug;25(8):921-9. Epub.  REITER, Y et al., 1999, "An Antibody Single-domain Phage Display Library of a Native Heavy Chain Variable Region: Isolation of Functional Single-domain VH Molecules with a Unique Interface," J. Mol. Biol. 290, pp. 685-698.  SÖDERLIND, E. et al., 2000, "Recombining germline-derived CDR sequences for creating diverse single-framework antibody libraries," Nature Biotechnology, Vol 18, pp. 852-856.  SÖDERLIND, E. et al., 1999, "Complementarity-determining region (CDR) implantation: a theme of recombination," Immunotechnology, 4, pp. 279-285.  WARD et al., 1989, "Binding Activities of a Repertoir of Single Immunoglobulin Variable Domains Secreted from Escherichia Coli," Nature 341: 544-546  WELLING, et al., 1991, "A Ten-Residue Fragement of an Antibody (Mini-Antibody) Directed Against Lysozyme as Ligand in Immunoaffinity Chromatography," J. Chromatography, 548: 235-242.  WILLIAMS et al., 1989, "Development of Biologically Active Peptides Based on Antibody	JIRHOLT. P. et al., 1998, "Exploiting sequence space: shuffling in vivo formed	
LEVI et al., 1993, "A Complementarity-Determining Region Synthetic Peptide Acts as a Miniantibody and Neutralizes Human Immunodeficiency Virus Type 1 In Vitro," Proc. Natl. Acad. Sci., 90: 4374-4378.  MARKS, J. D. et al., 1992, "By-Passing Immunization: Building High Affinity Human Antibodies by Chain Shuffling," Bio/Technology, Vol. 10, pp. 779783.  MAYNARD J. and GEORGIOU G., 2000, "Antibody Engineering," Annu. Rev. Biomed. Eng, 02 pp. 339-76.  NISHIMURA, H. et al., 1999, "Development of Lupus-like Autoimmune Diseases by Disruption of the PD-1 Gene Encoding an ITIM Motif-Carrying Immunoreceptor," Immunity. Vol. 11, pp. 141-151.  QIU et al., 2007, "Small antibody mimetics comprising two complementarity-determining regions and a framework region for tumor targeting," Nat Biotechnol. 2007 Aug;25(8):921-9. Epub.  REITER, Y et al., 1999, "An Antibody Single-domain Phage Display Library of a Native Heavy Chain Variable Region: Isolation of Functional Single-domain VH Molecules with a Unique Interface," J. Mol. Biol. 290, pp. 685-698.  SÖDERLIND, E. et al., 2000, "Recombining germline-derived CDR sequences for creating diverse single-framework antibody libraries," Nature Biotechnology, Vol 18, pp. 852-856.  SÖDERLIND, E. et al., 1999, "Complementarity-determining region (CDR) implantation: a theme of recombination," Immunotechnology, 4, pp. 279-285.  WARD et al., 1989, "Binding Activities of a Repertoir of Single Immunoglobulin Variable Domains Secreted from Escherichia Coli," Nature 341: 544-546  WELLING, et al., 1991, "A Ten-Residue Fragement of an Antibody (Mini-Antibody) Directed Against Lysozyme as Ligand in Immunoaffinity Chromatography," J. Chromatography, 548: 235-242.  WILLIAMS et al., 1989, "Development of Biologically Active Peptides Based on Antibody		
by Chain Shuffling," Bio/Technology, Vol. 10, pp. 779783.  MAYNARD J. and GEORGIOU G., 2000, "Antibody Engineering," Annu. Rev. Biomed. Eng, 02 pp. 339-76.  NISHIMURA, H. et al., 1999, "Development of Lupus-like Autoimmune Diseases by Disruption of the PD-1 Gene Encoding an ITIM Motif-Carrying Immunoreceptor," Immunity. Vol. 11, pp. 141-151.  QIU et al., 2007, "Small antibody mimetics comprising two complementarity-determining regions and a framework region for tumor targeting," Nat Biotechnol. 2007 Aug;25(8):921-9. Epub.  REITER, Y et al., 1999, "An Antibody Single-domain Phage Display Library of a Native Heavy Chain Variable Region: Isolation of Functional Single-domain VH Molecules with a Unique Interface," J. Mol. Biol. 290, pp. 685-698.  SÖDERLIND, E. et al., 2000, "Recombining germline-derived CDR sequences for creating diverse single-framework antibody libraries," Nature Biotechnology, Vol 18, pp. 852-856.  SÖDERLIND, E. et al., 1999, "Complementarity-determining region (CDR) implantation: a theme of recombination," Immunotechnology, 4, pp. 279-285.  WARD et al., 1989, "Binding Activities of a Repertoir of Single Immunoglobulin Variable Domains Secreted from Escherichia Coli," Nature 341: 544-546  WELLING, et al., 1991, "A Ten-Residue Fragement of an Antibody (Mini-Antibody) Directed Against Lysozyme as Ligand in Immunoaffinity Chromatography," J. Chromatography, 548: 235-242.  WILLIAMS et al., 1989, "Development of Biologically Active Peptides Based on Antibody	LEVI et al., 1993, "A Complementarity-Determining Region Synthetic Peptide Acts as a Miniantibody and Neutralizes Human Immunodeficiency Virus Type 1 In Vitro," Proc. Natl.	
pp. 339-76.  NISHIMURA, H. et al., 1999, "Development of Lupus-like Autoimmune Diseases by Disruption of the PD-1 Gene Encoding an ITIM Motif-Carrying Immunoreceptor," Immunity. Vol. 11, pp. 141-151.  QIU et al., 2007, "Small antibody mimetics comprising two complementarity-determining regions and a framework region for tumor targeting," Nat Biotechnol. 2007 Aug;25(8):921-9. Epub.  REITER, Y et al., 1999, "An Antibody Single-domain Phage Display Library of a Native Heavy Chain Variable Region: Isolation of Functional Single-domain VH Molecules with a Unique Interface," J. Mol. Biol. 290, pp. 685-698.  SÖDERLIND, E. et al., 2000, "Recombining germline-derived CDR sequences for creating diverse single-framework antibody libraries," Nature Biotechnology, Vol 18, pp. 852-856.  SÖDERLIND, E. et al., 1999, "Complementarity-determining region (CDR) implantation: a theme of recombination," Immunotechnology, 4, pp. 279-285.  WARD et al., 1989, "Binding Activities of a Repertoir of Single Immunoglobulin Variable Domains Secreted from Escherichia Coli," Nature 341: 544-546  WELLING, et al., 1991, "A Ten-Residue Fragement of an Antibody (Mini-Antibody) Directed Against Lysozyme as Ligand in Immunoaffinity Chromatography," J. Chromatography, 548: 235-242.  WILLIAMS et al., 1989, "Development of Biologically Active Peptides Based on Antibody		
of the PD-1 Gene Encoding an ITIM Motif-Carrying Immunoreceptor," Immunity. Vol. 11, pp. 141-151.  QIU et al., 2007, "Small antibody mimetics comprising two complementarity-determining regions and a framework region for tumor targeting," Nat Biotechnol. 2007 Aug;25(8):921-9. Epub.  REITER, Y et al., 1999, "An Antibody Single-domain Phage Display Library of a Native Heavy Chain Variable Region: Isolation of Functional Single-domain VH Molecules with a Unique Interface," J. Mol. Biol. 290, pp. 685-698.  SÖDERLIND, E. et al., 2000, "Recombining germline-derived CDR sequences for creating diverse single-framework antibody libraries," Nature Biotechnology, Vol 18, pp. 852-856.  SÖDERLIND, E. et al., 1999, "Complementarity-determining region (CDR) implantation: a theme of recombination," Immunotechnology, 4, pp. 279-285.  WARD et al., 1989, "Binding Activities of a Repertoir of Single Immunoglobulin Variable Domains Secreted from Escherichia Coli," Nature 341: 544-546  WELLING, et al., 1991, "A Ten-Residue Fragement of an Antibody (Mini-Antibody) Directed Against Lysozyme as Ligand in Immunoaffinity Chromatography," J. Chromatography, 548: 235-242.  WILLIAMS et al., 1989, "Development of Biologically Active Peptides Based on Antibody	MAYNARD J. and GEORGIOU G., 2000, "Antibody Engineering," Annu. Rev. Biomed. Eng, 02	
regions and a framework region for tumor targeting," Nat Biotechnol. 2007 Aug;25(8):921-9. Epub.  REITER, Y et al., 1999, "An Antibody Single-domain Phage Display Library of a Native Heavy Chain Variable Region: Isolation of Functional Single-domain VH Molecules with a Unique Interface," J. Mol. Biol. 290, pp. 685-698.  SÖDERLIND, E. et al., 2000, "Recombining germline-derived CDR sequences for creating diverse single-framework antibody libraries," Nature Biotechnology, Vol 18, pp. 852-856.  SÖDERLIND, E. et al., 1999, "Complementarity-determining region (CDR) implantation: a theme of recombination," Immunotechnology, 4, pp. 279-285.  WARD et al., 1989, "Binding Activities of a Repertoir of Single Immunoglobulin Variable Domains Secreted from Escherichia Coli," Nature 341: 544-546  WELLING, et al., 1991, "A Ten-Residue Fragement of an Antibody (Mini-Antibody) Directed Against Lysozyme as Ligand in Immunoaffinity Chromatography," J. Chromatography, 548: 235-242.  WILLIAMS et al., 1989, "Development of Biologically Active Peptides Based on Antibody	of the PD-1 Gene Encoding an ITIM Motif-Carrying Immunoreceptor," Immunity. Vol. 11, pp.	
Chain Variable Region: Isolation of Functional Single-domain VH Molecules with a Unique Interface," J. Mol. Biol. 290, pp. 685-698.  SÖDERLIND, E. et al., 2000, "Recombining germline-derived CDR sequences for creating diverse single-framework antibody libraries," Nature Biotechnology, Vol 18, pp. 852-856.  SÖDERLIND, E. et al., 1999, "Complementarity-determining region (CDR) implantation: a theme of recombination," Immunotechnology, 4, pp. 279-285.  WARD et al., 1989, "Binding Activities of a Repertoir of Single Immunoglobulin Variable Domains Secreted from Escherichia Coli," Nature 341: 544-546  WELLING, et al., 1991, "A Ten-Residue Fragement of an Antibody (Mini-Antibody) Directed Against Lysozyme as Ligand in Immunoaffinity Chromatography," J. Chromatography, 548: 235-242.  WILLIAMS et al., 1989, "Development of Biologically Active Peptides Based on Antibody	regions and a framework region for tumor targeting," Nat Biotechnol. 2007 Aug;25(8):921-9.	
diverse single-framework antibody libraries," Nature Biotechnology, Vol 18, pp. 852-856.  SÖDERLIND, E. et al., 1999, "Complementarity-determining region (CDR) implantation: a theme of recombination," Immunotechnology, 4, pp. 279-285.  WARD et al., 1989, "Binding Activities of a Repertoir of Single Immunoglobulin Variable Domains Secreted from Escherichia Coli," Nature 341: 544-546  WELLING, et al., 1991, "A Ten-Residue Fragement of an Antibody (Mini-Antibody) Directed Against Lysozyme as Ligand in Immunoaffinity Chromatography," J. Chromatography, 548: 235-242.  WILLIAMS et al., 1989, "Development of Biologically Active Peptides Based on Antibody	Chain Variable Region: Isolation of Functional Single-domain VH Molecules with a Unique	
theme of recombination," Immunotechnology, 4, pp. 279-285.  WARD et al., 1989, "Binding Activities of a Repertoir of Single Immunoglobulin Variable Domains Secreted from Escherichia Coli," Nature 341: 544-546  WELLING, et al., 1991, "A Ten-Residue Fragement of an Antibody (Mini-Antibody) Directed Against Lysozyme as Ligand in Immunoaffinity Chromatography," J. Chromatography, 548: 235-242.  WILLIAMS et al., 1989, "Development of Biologically Active Peptides Based on Antibody		
Domains Secreted from Escherichia Coli," Nature 341: 544-546  WELLING, et al., 1991, "A Ten-Residue Fragement of an Antibody (Mini-Antibody) Directed Against Lysozyme as Ligand in Immunoaffinity Chromatography," J. Chromatography, 548: 235-242.  WILLIAMS et al., 1989, "Development of Biologically Active Peptides Based on Antibody		
Against Lysozyme as Ligand in Immunoaffinity Chromatography, J. Chromatography, 548: 235-242.  WILLIAMS et al., 1989, "Development of Biologically Active Peptides Based on Antibody		
	Against Lysozyme as Ligand in Immunoaffinity Chromatography," J. Chromatography, 548: 235-242.	
Gradiane, Thee Haar Head Con Co. Co. Co. Co. T.	WILLIAMS et al., 1989, "Development of Biologically Active Peptides Based on Antibody Structure," Proc. Natl. Acad. Sci. 86: 5537-5541.	
XU J. L. and DAVIS M. M., "Diversity in the CDR3 Region of V <sub>H</sub> is Sufficient for Most Antibody Specificities," Immunity, Vol 13, pp. 37-45.		
ZHONG, X. et al., 2004, "Suppression of expression and function of negative immune	ZHONG, X. et al., 2004, "Suppression of expression and function of negative immune	

EXAMINER:	DATE CONSIDERED:

<sup>#</sup> EXAMINER: Initial if reference considered, whether or not citation is in conformance with MPEP 609; Draw line through citation if not in conformance and not considered. Include copy of this form with next communication to Applicant.

<sup>\*</sup>a copy of this reference is not provided as it was previously cited by or submitted to the office in a prior application, Serial No. \_\_\_, filed , and relied upon for an earlier filing date under 35 U.S.C. 120 (continuation, continuation-in-part, and divisional applications).

Complete if Known Substitute for form 1449/PTO 10/540,084-Conf. #7531 Application Number **INFORMATION DISCLOSURE** Filing Date April 7, 2006 STATEMENT BY APPLICANT First Named Inventor Mary Collins Art Unit 1644 (Use as many sheets as necessary) I. I. Ouspenski Examiner Name M0274.70042US02 Sheet 3 of 3 Attorney Docket Number

regulator PD-1 by certain pattern recognition and cytokine receptor signals associated with immune system danger," Int'l Immunology, 16:8, pp. 1181-1188.	
Accession No. Q15116 (2003)	
Accession No. NM_008798 (2003)	

EXAMINER:	DATE CONSIDERED:
EXAMINET.	DATE CONSIDERED.

<sup>&</sup>lt;sup>#</sup> EXAMINER: Initial if reference considered, whether or not citation is in conformance with MPEP 609; Draw line through citation if not in conformance and not considered. Include copy of this form with next communication to Applicant.

<sup>\*</sup>a copy of this reference is not provided as it was previously cited by or submitted to the office in a prior application, Serial No. \_\_\_\_, filed \_\_\_\_, and relied upon for an earlier filing date under 35 U.S.C. 120 (continuation, continuation-in-part, and divisional applications). -